

AVANOS

Oral Care

Oral Care Kits & Individual Components

MORE CHOICES. MORE COMPLIANCE. EASIER TO USE.

A complete line of oral care solutions designed by nurses, for nurses

mini



FOR VENTILATOR-DEPENDENT PATIENTS, ORAL CARE IS CRITICAL CARE.



THE IMPORTANCE OF ORAL CARE IN THE CRITICAL CARE ENVIRONMENT IS WELL-DOCUMENTED.⁵

- 63% of patients admitted to an ICU have oral colonisation with pathogens associated with VAP.⁶
- The absence of adequate salivary flow in intubated ICU patients causes severe xerostomia (dry mouth), which may contribute to the development of mucositis (oral tissue inflammation) and oropharyngeal colonisation with gram negative bacteria.⁷
- If an intubated patient does not receive effective and comprehensive oral hygiene, bacterial plaque develops on teeth within 48 hours.⁸
- As dental plaque increases, so does the risk of pneumonia.¹⁰



Without comprehensive oral care, dental plaque forms, increasing the risk of VAP.⁹

- Comprehensive oral hygiene has consistently been recognised as critical to preventing HAP and VAP by such leading organisations as:
 - NHS: National Health Service, UK¹⁵
 - Centers for Disease Control and Prevention (CDC)¹⁷
 - Association for Professionals in Infection Control and Epidemiology (APIC)¹¹
 - American Association of Critical Care Nurses (AACN)¹²
 - Institute for Healthcare Improvement (IHI)¹³
 - Kommission für Krankenhaushygiene und Infektionsprävention (KRINKO); Robert Koch-Institut¹⁶

VAP IS A MAJOR CLINICAL CONCERN... ASSOCIATED WITH HIGH INCIDENCE RATES, MORTALITY AND COSTS¹.

IT'S WORTH TAKING MEASURES TO PREVENT EVEN ONE CASE OF VENTILATED ASSOCIATED PNEUMONIA (VAP).

- Approximately **60%** of all deaths in patients with HAIs are associated with hospital-associated pneumonia and the mortality rate is higher in patients developing VAP.¹
- Approximately **8% to 28%** of critical care patients develop VAP.²
- Hospital-associated pneumonia patients have a mortality rate of **20% to 41%**.³
- VAP increases patient time in the ICU by **4 to 6 days**.⁴
- Each incidence of VAP is estimated to generate an increased cost of **€ 33.000**.⁴

Avanos is committed to providing a range of innovative, effective clinical solutions to help clinicians address the risk factors for VAP, including:

MICROCUFF⁺ Endotracheal Tubes

AVANOS⁺ Mini-BAL Sampling Catheter

AVANOS⁺ Turbo-Cleaning Closed Suction Systems

AVANOS⁺ Oral Care System (Kits, Components/Packs & Compliance program)

NOW AVAILABLE:

AVANOS⁺ Oral Care Kit (q4), Mini Kit and Individual Components

**AVANOS⁺
Oral Care Kit - q4**



**AVANOS⁺
Oral Care
Advanced Kit**








**AVANOS⁺
Oral Care
Moderate Kit**



**AVANOS⁺
Mini Oral
Care kit**



A PORTFOLIO OF PRODUCTS... TO MEET EVERY PROTOCOL.

COMPONENTS/PACKS	FEATURES	BENEFITS
<p>AVANOS[®] PREP PACK includes Self-Cleaning, Covered Yankauer, Suction Handle, Y-adapter</p> 	<p>Self-cleaning, covered Yankauer with PEEP seal technology</p>  <p>High flow atraumatic tip with multiple holes</p> <p>Ergonomic Suction Handle design that fits with all suction tools</p> <p>Soft on/off switch on Suction Handle</p> <p>Clip design on Suction Handle</p> <p>Y-adapter design</p>	<p>Cleans secretions and debris from the shaft after suctioning.</p>  <p>AVANOS[®] Yankauer with self-cleaning cover after use... without rinsing.</p> <p>Standard Yankauer without self-cleaning cover after use... with rinsing.</p> <p>Allows for quick and effective removal of secretions.</p> <p>Allows for the caregiver to perform the cleaning procedure more comfortably.</p> <p>Allows for easy suction control. Soft button for nurse's comfort.</p> <p>Provides convenient and cleaner storage between uses.</p> <p>Allows multiple functions with one canister.</p>
<p>AVANOS[®] TOOTHBRUSH PACK includes Suction Toothbrush, Applicator Swab</p> 	<p>Single mold supple toothbrush with soft and flexible bristles</p> 	<p>Prevents bristles from falling out. Cleans debris and suction secretions. Tooth brushing helps remove dental plaque.¹³</p>
<p>AVANOS[®] SUCTION SWAB PACK includes Suction Swab, Application Swab</p> 	<p>Long angled suction swab with soft sponge tip</p> <p>Large suction hole in swab</p>	<p>Promotes easier access in patient's mouth from the side of the bed. Stimulates, cleans and freshens oral mucosa.</p> <p>Reduces clogging.</p>
<p>AVANOS[®] SUCTION CATHETERS</p> 	<p>Pliable tubing</p>	<p>Allows for flexible maneuvering while suctioning the oropharyngeal area.</p>

AVANOS IS ADDRESSING THE KNOWN RISK FACTORS FOR VAP WITH FLEXIBLE, EASY-TO-USE ORAL CARE KITS.

AVANOS* ORAL CARE KITS FOR ADULTS FEATURE:

- Colour-coded packaging, allowing caregivers to easily identify specific component packs and to track oral care compliance.
- Rectangular kit design with wall hanger, making it more conveniently accessible in the patient's room to make compliance easier.
- Individual packs that allow caregivers to choose the right tool at the right time, based on patient need and hospital protocol.

9 out of 10 clinicians agree that AVANOS* Oral Care q4 Kit encourages oral care frequency†

AVANOS* ORAL CARE KIT- q4 - 24-hour | ART. 99946

For use with a 4-hour oral care protocol

1 - Prep Pack (including 1 covered Yankauer, 1 "y" connector & 1 suction handle)

2 - Toothbrush Packs (including 1 suction toothbrush, 1 applicator swab & 1 solution cup)

4 - Suction Swab Packs (including 1 suction swab, 1 applicator swab & 1 solution cup)

2 - Suction Catheters

Packaging: 16/case



AVANOS* ORAL CARE ADVANCED KIT | ART. 25928

For use with a 4-hour oral care protocol

1 - Prep Pack (including 1 covered Yankauer, 1 "y" connector & 1 suction handle)

2 - Toothbrush Packs (including 1 suction toothbrush, 1 applicator swab & 1 solution cup)

4 - Suction Swab Packs (including 1 suction swab, 1 applicator swab & 1 solution cup)

Packaging: 24/case



AVANOS* ORAL CARE MODERATE KIT | ART. 25930

For standard oral care protocol

1 - Prep Pack (including 1 covered Yankauer, 1 "y" connector & 1 suction handle)

1 - Toothbrush Pack (including 1 suction toothbrush, 1 applicator swab & 1 solution cup)

2 - Suction Swab Packs (including 1 suction swab, 1 applicator swab & 1 solution cup)

Packaging: 32/case



ALL THE CONVENIENCE AND EASE OF USE OF ORAL CARE KITS, WITH COMPONENTS DESIGNED FOR USE IN SMALLER PATIENTS.

NEW AVANOS* MINI ORAL CARE KITS FEATURE:

- Colour-coded packaging that allow caregivers to select the right tool at the right time, based on patient need and your facility's protocol.
- Colour-coded order-of-use guide on the carton makes it easy to identify specific packs and track oral care compliance.
- Yankauer with high-flow atraumatic tip allows for quick, effective removal of oral secretions. And the covered self-cleaning shaft with PEEP seal technology keeps it drier and cleaner between uses.

AVANOS* MINI ORAL CARE ADVANCED KIT | ART. 970008-5


For use with a 4-hour oral care protocol

1 - Prep pack (reusable - includes self-cleaning covered Yankauer)

2 - Toothbrush Pack (including suction toothbrush, mini applicator swab, empty solution cup & mini 8Fr suction catheter)

3 - Mini Suction Swab Pack (including mini suction swab, mini applicator swab & empty solution cup)

Packaging: 24/case



1 Kollef MH. What is ventilator-associated pneumonia and why is it important? *Respiratory Care* 2005 June; 50(6): 714-724
2 Chastre J, Fagon J. Ventilator-Associated Pneumonia. *Crit Care Med* 2002; 165: 867-903
3 Ventilator-Associated Pneumonia. *Crit. Care Nurse*. June 2008; 28:83-85.
4 Rello J, Ollendorf D, Oster G, Vera-Llonch M, Bellm L, et al. Epidemiology and Outcomes of Ventilator-Associated Pneumonia in a Large US Database. *Chest*. 2002; 122:2115-2121.
5 Fitch J. Oral Care in the ICU. *American Journal of Critical Care* 1999 Sept; Vol. 8 No. 5; 324-318.
6 Cason CL et al: Nurses' implementation of guidelines for VAP from CDC, *AM J Crit Care*. 2007 Jan; 16(1).
7 Dennesen, P, et. al. Inadequate salivary flow and poor oral mucosal status in intubated intensive care unit patients, *Crit Care Med* 2003 Vol. 31, No. 3
8 Bagg, J. et al, *Essentials for Microbiology*, Chapter 21, Oxford University Press, 1999
9 Berry, A et al. Oral hygiene as a critical nursing activity in the intensive care unit. *Intensive and Critical Care Nursing* (2006) 22, 318-328.
10 Fourier. E. Effects of dental plaque antiseptic decontamination on bacterial colonization and nosocomial infections in critically ill patients, *Intensive Care Med* (2000) 26:1.

11 APIC. Preventing Ventilator-Associated Pneumonia 2004
12 AACN News Vol. 23 No. 8 Aug 2006
13 5 Million Lives Campaign. Getting Started Kit: Prevent Ventilator-Associated Pneumonia How-to-Guide. Cambridge, MA: Crit Care Med 2003 Vol. 31, No.3
14 Garcia, R. A review of the possible role of oral and dental colonization on the occurrence of healthcare-associated pneumonia: underappreciated risk and a call for interventions. *Association for Professionals in Infection Control and Epidemiology*, 2005, Vol. 33 No9, pp. 527-542.
15 High Impact Intervention Care bundle to reduce ventilation-association pneumonia; National Resource for Infection Control, 2011
16 Prevention of ventilator-associated pneumonia. Updated recommendation of KRINKO Nov 2013
17 CDC. Guidelines for Preventing Healthcare-Associated Pneumonia, 2003. Recommendations of the CDC and the Healthcare Infection Control Practices Advisory Committee. *MMWR* 2004; 53 (No. RR-3)
† 354 product evaluations from 27 hospitals were completed by nurses and respiratory therapists.

AVANOS

For more information, please send an email to customerservice.uk.ie@avanos.com